

ELUCIDATING THE DESIGN SPACE OF LANGUAGE MODELS FOR IMAGE GENERATION

Xuantong Liu¹, Shaozhe Hao², Xianbiao Qi³, Tianyang Hu⁴, Jun Wang¹, Rong Xiao³, Yuan Yao¹

¹The Hong Kong University of Science and Technology, ²The University of Hong Kong,

³Intellifusion, ⁴Huawei Noah's Ark Lab

xliude@connect.ust.hk



Figure 1: Generated samples from ELM-2B with 2-12 tokenizer trained on 256×256 ImageNet. ELM is flexible to generate *any-size* high-fidelity images.

ABSTRACT

The success of autoregressive (AR) language models in text generation has inspired the computer vision community to adopt Large Language Models (LLMs) for image generation. However, considering the essential differences between text and image modalities, the design space of language models for image generation remains underexplored. We observe that image tokens exhibit greater randomness compared to text tokens, which presents challenges when training with token prediction. Nevertheless, AR models demonstrate their potential by effectively learning patterns even from a seemingly suboptimal optimization problem. Our analysis also reveals that while all models successfully grasp the importance of local information in image generation, smaller models struggle to capture the global context. In contrast, larger models showcase improved capabilities in this area, helping to explain the performance gains achieved when scaling up model size. We further elucidate the design space of language models for vision generation, including tokenizer choice, model choice, model scalability, vocabulary design, and sampling strategy through extensive comparative experiments. Our work is the first to analyze the optimization behavior of language models in vision generation, and we believe it can inspire more effective designs when applying LMs to other domains. Finally, our elucidate language model for image

generation, termed as **ELM**, achieves state-of-the-art performance on the ImageNet 256×256 benchmark. The code is available at <https://github.com/Pepper-III/LMforImageGeneration.git>.

1 INTRODUCTION

In the domain of artificial intelligence generated content (AIGC), text and image generation (Brown, 2020; Ho et al., 2022) represent the principal focal points. Despite their shared goal of content generation, these two modalities predominantly employ distinct modeling methods. On the one hand, text generation is commonly facilitated by autoregressive (AR) language models, like LLaMA-3 (Touvron et al., 2023a) and GPT-4 (Achiam et al., 2023), which operate by predicting subsequent tokens based on preceding ones in a sequence. On the other hand, image generation predominantly utilizes diffusion models, such as Dall-E 3 (Betker et al., 2023) and Stable Diffusion v3 (Esser et al., 2024), which learn to gradually denoise images for all pixels simultaneously.

The recent success of large language models (LLMs) has bolstered the research community’s confidence in their potential contribution towards achieving artificial general intelligence (AGI). This optimism has also inspired researchers within the computer vision domain to extend the AR paradigm to applications beyond text, such as image generation (Esser et al., 2021; Yu et al., 2021; Tian et al., 2024) and video generation (Kondratyuk et al., 2024). Such explorations open up novel avenues for leveraging AR in visual content creation. A significant advantage of integrating LLMs into image generation is the ability to transfer established techniques from text-based applications, such as generating content that exceeds the input length. In contrast, diffusion models generally exhibit less flexibility in adapting to such capabilities. Moreover, the scalability of LLMs makes them the preferred foundation for building unified models with multi-modal inference capabilities (Team et al., 2023; Kondratyuk et al., 2024). Gaining a deeper understanding of their potential across domains will aid the community in building more efficient and effective universal models.

Nevertheless, current research in visual generation remains focused on diffusion models (Karras et al., 2022; Ma et al., 2023; Kingma & Gao, 2024), and language models for image generation have yet to be thoroughly explored. Current efforts (Esser et al., 2021; Chang et al., 2022; Yu et al., 2022; Sun et al., 2024; Tian et al., 2024; Yu et al., 2024) are mostly preliminary, involving the discretization of images into sequences of tokens with vector-quantization autoencoders, which are then processed by language models trained with token prediction objectives. However, considering that text and images represent fundamentally different modalities, it is essential to thoroughly analyze the training dynamics and elucidate the design space when adapting LLM for image generation tasks.

In this study, we delve into the potential of language models for vision generation tasks. We quantitatively analyze the fundamental differences between images and text and conduct a comprehensive exploration of the design space for image generation using language models. Starting with image tokenization, we compare two approaches: VQGAN, which uses a vector quantizer (VQ) to discretize latent codes (Van Den Oord et al., 2017; Esser et al., 2021), and BAE, which employs binary autoencoders for “look-up free” quantization (LFQ) (Wang et al., 2023; Yu et al., 2023). Our comparison based on reconstruction ability, scalability, and generation performance shows that BAE consistently outperforms VQGAN across all dimensions. Despite this, current language model-based image generation methods largely rely on vector-quantization auto-encoders (Yu et al., 2022; Chang et al., 2022; Li et al., 2023; Sun et al., 2024). We believe that a more powerful quantizer for images can lead to significantly better generation performance. We then evaluate the performance of two primary language modeling approaches for image generation: autoregressive (AR) models and masked language models (MLMs). Consistent with findings in the language domain (Henighan et al., 2020; Liao et al., 2020; Zhang et al., 2024; Chang & Bergen, 2024), AR models demonstrate superior image generation ability and scalability compared to MLMs. We further leveraged the flexibility of the binary-valued bit codes produced by BAE. Through our exploration of code decomposition strategies, we found that splitting the original code into two subcodes significantly reduces learning complexity, improves performance, and reduces computational costs.

Additionally, we analyze how AR models learn to generate images by examining attention scores across different layers and model sizes. Our findings indicate that AR models effectively learn the importance of local information for image generation. However, larger models also capture global information, which is more difficult for smaller models to learn, helping to explain the performance

improvements observed with increasing model size. Our research deepens the understanding of the LLM’s capability and behavior in vision generation. The insights can contribute to the design of more efficient and unified large models handling multi-modalities inference tasks and the exploration of general artificial intelligence systems. In conclusion, our main contributions include:

- We identify the fundamental differences between the token distributions of discretized images and text, highlighting significant disparities in training dynamics and terminal phases between them.
- We thoroughly examine two prevalent language modeling methods, including AR models and MLMs, within the realm of image generation. Our findings suggest that AR mechanism holds greater potential in the visual domain.
- Leveraging an image discretization mechanism with BAE, our results reveal that a vocabulary decomposition helps improve performance and reduce computational cost.
- We show that AR models can learn effective image patterns without inductive bias, identify distinct patterns across model sizes, and offer a concise explanation of the scaling law.
- Combining all key ingredients of the design space explicitly explored, we reach a strong **Elucidated Language model for iMAGE** generation, termed as **ELM**, and achieve state-of-the-art performance on the ImageNet 256×256 benchmark.

2 PRELIMINARY

2.1 IMAGE TOKENIZATION

Image tokenization typically involves an encoder ENC, a quantizer QUANT, and a decoder DEC. Given an image $\mathbf{x} \in \mathbb{R}^{H \times W \times 3}$, ENC encodes it to latent variables $\mathbf{z} = \text{ENC}(\mathbf{x}) \in \mathbb{R}^{\frac{H}{f} \times \frac{W}{f} \times D}$, where f is the down-sample factor and D is the latent variable dimension. Each spatial vector \mathbf{z}_{ij} in \mathbf{z} is then quantized to discrete code \mathbf{q}_k . Let the quantized latent be denoted as \mathbf{z}_q , which is then decoded to reconstruct the original image as $\hat{\mathbf{x}} = \text{DEC}(\mathbf{z}_q)$. Typically, image tokenizers are trained using this auto-encoder framework, optimized with reconstruction loss, commitment loss (Van Den Oord et al., 2017; Razavi et al., 2019), adversarial loss, and perceptual loss (Esser et al., 2021; Yu et al., 2023). All the codes form a codebook $\mathcal{Q} = \{\mathbf{q}_k\}_{k=1}^K \subset \mathbb{R}^D$ that contains K codes in total. The codebook can be viewed as the “vocabulary” if we regard the image as a special kind of language. A sequence of tokens $\mathbf{q} = (\mathbf{q}_1, \mathbf{q}_2, \dots, \mathbf{q}_L)$, where $L = \frac{H}{f} \times \frac{W}{f}$, is obtained by reshaping \mathbf{z}_q to a sequence of L tokens in a raster scan manner serving as the input for the language model.

There are two mainstream tokenization types based on how they discretize the latent:

VQGAN (Esser et al., 2021) For this method, the codebook \mathcal{Q} is trained alongside the encoder and decoder, the most widely used one named VQGAN. In this method, each spatial latent vector $\mathbf{z}_{ij} \in \mathbb{R}^D$ “looks up” the nearest code \mathbf{q}_k by minimizing the Euclidean distance:

$$\mathbf{z}_q = \text{QUANT}(\mathbf{z}) := \left(\arg \min_{\mathbf{q}_k \in \mathcal{Q}} \|\mathbf{z}_{ij} - \mathbf{q}_k\| \right) \in \mathbb{R}^{\frac{H}{f} \times \frac{W}{f} \times D}. \quad (1)$$

BAE (Wang et al., 2023; Yu et al., 2023) This method discretizes the scalar value at each position of the latent vector, converting it to a binary value (0/1 or -1/1) (Fajtl et al., 2020; Wang et al., 2023; Yu et al., 2023). Specifically, suppose the latent vector $\mathbf{z}_{ij} \in \mathbb{R}^D$ is normalized and the values lie within the range of (0,1). Each value $z^d, d \in \{1, \dots, D\}$ at the d -th position of \mathbf{z}_{ij} is further quantized into discrete values of 0 or 1:

$$z_q^d = \text{sign}(z^d) = \begin{cases} 0, & \text{if } z^d < 0.5, \\ 1, & \text{otherwise.} \end{cases} \quad (2)$$

In this way, the codebook is structured within a binary latent space, with $K = 2^D$. The code index is derived by treating the code as a binary number and converting it into its corresponding decimal value; this method is also referred to as “look-up free” quantization (LFQ) (Yu et al., 2023). The sign function can be replaced by Bernoulli sampling, then $\mathbf{z}_q = \text{Bernoulli}(\mathbf{z})$ (Wang et al., 2023).

2.2 MODELING METHODS

Autoregressive (AR) Model Consider a sequence of discrete tokens $\mathbf{q} = (\mathbf{q}_1, \mathbf{q}_2, \dots, \mathbf{q}_L)$, where each token \mathbf{q}_l is drawn from a vocabulary \mathcal{Q} of size K . The AR model assumes that the probability of the current token \mathbf{q}_l depends only on its preceding tokens $(\mathbf{q}_1, \mathbf{q}_2, \dots, \mathbf{q}_{l-1})$, framing the generation task as a ‘next-token’ prediction, using unidirectional attention with the transformer architecture. Specifically, the network learns the conditional probability $p(\mathbf{q}_l) = p(\mathbf{q}_l | \mathbf{q}_1, \dots, \mathbf{q}_{l-1})$, with the loss function:

$$\mathcal{L}_{\text{ar}} = -\mathbb{E}_{\mathbf{x} \sim p(\mathbf{x})} [\log p(\mathbf{q})] = -\mathbb{E}_{\mathbf{x} \sim p(\mathbf{x})} \left[\sum_{l=1}^L \log p(\mathbf{q}_l) \right] \quad (3)$$

Masked Language Model (MLM) Unlike AR models, MLMs leverage contexts from both directions to predict the tokens masked by a special [MASK] token, and their predictions are not bound by sequential order. They are trained by substituting a subset of tokens with [MASK] tokens and then predicting these tokens based on the unmasked ones. Specifically, Denote \mathbf{q}_M the result after applying mask \mathbf{m} to \mathbf{q} . Hence, these models optimize the following loss function:

$$\mathcal{L}_{\text{mlm}} = -\mathbb{E}_{\mathbf{x} \sim p(\mathbf{x})} \left[\sum_{\forall l \in [0, L], m_l=1} \log p(\mathbf{q}_l | \mathbf{q}_M) \right] \quad (4)$$

As a dominant modeling approach in the language domain, there have been several attempts to adapt AR transformer models for image synthesis (Esser et al., 2021; Yu et al., 2022; Team, 2024; Sun et al., 2024). At the same time, MLMs also gain popularity in the vision domain due to their sampling efficiency (Chang et al., 2022; Li et al., 2023; Chang et al., 2023).

3 ELUCIDATING THE DESIGN SPACE OF LANGUAGE MODELS FOR IMAGE GENERATION

In this section, we first analyze the intrinsic difference between vision and language domain based on the token distribution, which helps us to understand the learning behavior of language models on the image generation task. Then we comprehensively explore the design space of adopting language models for vision generation, including the tokenizer choice, modeling choice, model scalability analysis, vocabulary decomposition strategy with BAE tokenizer, and sampling strategy.

3.1 IMAGE GENERATION VERSUS TEXT GENERATION

While images can be discretized and treated as token sequences, the inherent differences between vision and text still exist. These disparities result in varying performance while both are trained using the same model architectures and objectives. In our experiments, we observe that the training loss did not converge well using either AR or MLM on image tokens, a similar result is also presented in Henighan et al. (2020). However, the models can still generate high-quality images with a low Fréchet Inception Distance (FID) (Heusel et al., 2017), indicating that they have learned sufficient patterns for image generation, although the training loss remains high.

Table 1: KL-divergence between token distribution and Uniform Distribution.

	ImageNet		OpenWebText		Shakespeare			
Tokenizer	VQGAN-f16 (V=16384)	BAE-f16 (V=65536)	BPE (V=47589)	BPE (V=11234)				
	unigram	bigram	unigram	bigram	unigram	bigram	unigram	bigram
Train	1.00	2.16	0.24	0.17	3.25	3.35	3.01	1.77
Val	0.90	2.12	0.22	0.03	3.27	1.94	2.34	1.25

Token Distribution and Randomness in Image Data Our analysis shows that image tokens exhibit a distribution much closer to a random, uniform distribution when compared to language tokens

(see the result in **Table 1**). This closeness to a uniform distribution suggests several important implications. First, it suggests that *image data lacks the inherent structure and sequential order* typically present in language data. The randomness in image token distribution implies that image generation doesn't depend on strict sequential patterns, allowing models to focus on *local patterns* relevant to visual reconstruction (Ulyanov et al., 2018). Second, a token distribution close to uniform highlights that the generation task has a *higher tolerance for errors*. Since all tokens are nearly equally probable, the model can afford to make less precise token predictions without significantly impacting the quality of the generated output. This characteristic explains why our model, despite its high training loss, can still generate high-quality images—a behavior consistent with prior findings on deep learning's robustness to unstructured data (Zhang et al., 2016; Arpit et al., 2017). The principles of information theory (Shannon, 1948) also point out that models dealing with more random data require less precision in capturing global relationships.

3.2 TOKENIZER CHOICE: VQGAN VERSUS BAE




Figure 2: **BAE-16 exhibits a higher code utilization than VQGAN-f16.** This figure shows a log count number of the appearance of codes on the ImageNet training dataset in sorted order. (a) BAE-16, with a code dimension of 16, has 65,536 unique codes and achieves 100% code utilization, with no code showing extremely low usage. In contrast, (b) VQGAN-f16, with a codebook size of 16,384, only utilizes around 1,000 codes, and many of these codes have extremely low utilization.

In VQGAN, “code collapse” is a critical issue where a large portion of the codebook remains unused as the codebook size increases, severely limiting the model’s efficiency and scalability Zhu et al. (2024); Baykal et al. (2024). This problem does not occur in BAEs, where discrete codes are generated using scalar quantization (Mentzer et al., 2023). This approach guarantees 100% code utilization (see **Figure 2**) and achieves better reconstruction capabilities (**Appendix A.2**). *Based on the above reasons, we build our generation model on BAE tokenizer instead of VQGAN.*

For BAE, we observe that the introduction of *Bernoulli Sampling* during quantization improves image generation performance (**Table 7**). Incorporating this probabilistic element reduces the model’s sensitivity to prediction errors (Engleson & Azizpour, 2021), leading to a more robust generation.

3.3 MODELING METHOD CHOICE: AR VERSUS MLM




Figure 3: **Comparison of AR and MLM on image generation with 50,000 generated samples.** AR consistently outperforms MLM across various model sizes.

In this subsection, we evaluate the performance of both vanilla AR and MLM in image generation with the same BAE-f16 tokenizer with a vocabulary size of 2^{16} and training strategy (see implementation details in **Appendix A.3**). **Figure 3** presents the FID score and Inception Score (IS) (Salimans et al., 2016) on the 256×256 ImageNet benchmark over the training epochs for both AR and MLM. The results show that AR consistently outperforms MLM across various model sizes. Additionally, AR exhibits higher training efficiency compared to MLM, particularly as the model size increases. Research in the language domain has widely recognized that AR models possess greater generative capabilities than MLMs, particularly as model scales increase (Radford et al., 2019; Raffel et al., 2020; Henighan et al., 2020). Our findings align with these research works. Besides, for MLM-XL and MLM-XXL, a clear divergence between FID and IS is observed in the later stages of training, where FID continues to improve, while IS declines. Studies point out that when models overfit to generate highly realistic samples (low FID), they may sacrifice diversity, which negatively impacts IS (Chong & Forsyth, 2020; Benny et al., 2021). This issue does not occur with AR models, further highlighting the superiority of AR models over MLMs in maintaining both quality and diversity.

3.4 LEARNING AND SCALING BEHAVIOR

To further understand the model’s learned patterns, we visualize the attention maps of different AR models. These visualizations revealed that the attention mechanism were primarily focused on *local regions* of the image, indicating that the AR transformer models effectively learn the importance of local patterns for image generation (Vaswani et al., 2017). This finding is notable because the model was trained without any inductive biases tailored to image data, highlighting the strong capability of AR transformer models across different domains.

Additionally, the *scaling law* (Henighan et al., 2020; Kaplan et al., 2020) holds for AR models in image generation tasks, as reflected in *lower training loss* (**Figure 9**), *improved generation performance*, and an enhanced ability to capture *global information* as the model size increases. As for the attention pattern, models of varying sizes showed subtle differences: the L-sized model mainly focused on local information, struggling to capture long-term information. In contrast, larger models (XL and XXL) exhibited longer-range attention in certain layers, suggesting they had also learned global features (**Figure 4**). Specifically, in the first layer (layer 0), attention generally captures global information, while deeper layers show a more *localized focus*, with recent tokens receiving greater attention. In XL and XXL models, which have more layers, some deeper layers still capture global information. However, in L-sized models, the deeper layers also focus on local tokens, with little attention to long-term dependencies. The incorporation of global information positively impacted overall generation performance, as evidenced by the lower FID score and better visual image quality as shown in **Figure 8**.

3.5 VOCABULARY DESIGN

The vocabulary size K in BAE tokenizer is determined by the code dimension D , *i.e.*, $K = 2^D$. However, when the vocabulary size exceeds a certain threshold, such as 2^{16} (*i.e.*, 65,536), next-token prediction becomes significantly more challenging (Ali et al., 2023). For even larger vocabulary sizes, such as those exceeding 2^{20} , it becomes infeasible due to memory constraints. Despite these limitations, the tokenizer’s effectiveness largely depends on the code dimension, as demonstrated by the results in **Figure 5**, which shows that increasing the code dimension improves reconstruction ability. Recent research also indicates that a stronger tokenizer leads to a better generation performance in AR models (Tao et al., 2024).




Figure 5: AR model performance with different BAE tokenizers.

To address the challenge of large vocabulary sizes, we leverage the flexibility of binary-quantized codes that allows us to decompose each code into multiple subcodes (Yu et al., 2023). For instance, an 8-bit code like $[1, 0, 1, 0, 0, 0, 1, 1]$ can be split into two 4-bit codes: $[1, 0, 1, 0]$ and $[0, 0, 1, 1]$.




Figure 4: Visualization of average attention score of head 0 in AR models over 100 images. From the top row to the bottom row, we show the results of L, XL, and XXL models with the BAE 2-10 tokenizer, respectively. All models effectively learned to focus on *localized information* across different layers. However, larger model learns to capture richer *global information*, a behavior rarely observed in the L-sized models.

These two subcodes can then be converted into decimal values to generate corresponding indices. As a result, we convert the embedding matrix from a size of $2^8 \times D_{feature}$ into two matrices of size $2^4 \times D_{feature}$, where $D_{feature}$ is the feature dimension within the AR model. The final embedding is achieved by concatenating the two indexed embeddings and applying a projection to restore the dimension to $D_{feature}$. Separate prediction heads are applied to generate the logits.

We conduct experiments using AR models with BAE that have varying code dimensions ($D = 16, 20, 24, \text{ and } 32$). We treat quantizers with and without code decomposition as distinct tokenizers; for example, for $D = 16$, “1-16” means the original tokenizer and “2-8” denotes the code is split into two 8-bit subcodes. The results in **Figure 5** reveal several key insights:

- Optimal decomposition.** A decomposition into *two subcodes* is generally optimal, which also *reduces computational costs*, leading to more *efficient and effective generation* (see the detailed result in **Table 9**). When dealing with two sub-vocabularies of smaller size, the prediction at each position is split into two independent classification tasks, each with a more manageable set of possible outcomes, largely reducing the cognitive load on the model (Ali et al., 2023; Yang, 2024). Further increasing the number of subcodes significantly raises the prediction complexity, and the model struggles to optimize across three or more dimensions (Limisiewicz et al., 2023). This is evidenced by the increasing training loss observed when moving from tokenizers 2-8 to 3-8 and 4-8 in XL and XXL models (see **Figure A.3**). The added complexity in managing multiple classification heads impairs the model’s generalization, leading to suboptimal outcomes in image synthesis.
- Vocabulary complexity and model capacity.** Larger code dimensions generally lead to improved generation performance but introduce more complex vocabularies, making it harder for the model to predict the next token. As a result, *more complex tokenizers require more powerful models* for effective learning (Tao et al., 2024). For example, the 2-10 tokenizer is optimal for L and XL models, while the 2-12 tokenizer performs best with the XXL model.

These findings demonstrate the trade-offs between model scale, vocabulary complexity, and decomposition strategies, highlighting the potential of the AR model’s ability to effectively handle complex tokenization while maintaining high performance across model scales.

3.6 SAMPLING STRATEGY

Sampling strategy plays a crucial role in vision generation, applicable to both diffusion models (Karras et al., 2022; Ma et al., 2023) and language models (Chang et al., 2022; Sun et al., 2024). In

this study, we thoroughly explore the sampling strategies for both AR and MLM, including classifier-free guidance (Ho & Salimans, 2022) (CFG) scale, the introduction of randomness, and the number of generation iterations for the MLMs.

Firstly, regarding the CFG scale, we discover that a gradually increasing CFG scale performs better than a constant one. We test various CFG scale scheduling methods (as illustrated in **Figure 11**) and find that linear scheduling yields the best results (see the result in **Table 10**).

Secondly, regarding the introduction of randomness, for the AR model, randomness primarily derives from the k value in the top- k filter used when selecting next-token indices based on their confidence scores; a larger k introduces more randomness. For the MLM, randomness mainly stems from the coefficient τ of Gumbel noise added to the confidence of the [MASK] token predictions; a larger τ results in greater randomness. We observed that for both methods, a high degree of randomness is crucial during the sampling process (see **Figure 6, 7** and **Table 11**). This finding is consistent with the natural randomness of image token distribution discussed in **Section 3.1**. Moreover, as model size and vocabulary increase, the need for randomness diminishes, indicating that larger models are capable of capturing a *broader range of patterns* and making *more accurate predictions*. This observation aligns with the attention and scalability analysis discussed earlier, where larger models demonstrated enhanced capacity to manage both local and global information, reducing the need for stochasticity to generate realistic samples.

For MLMs, the range of sampling iterations during generation varies from 1 to the total sequence length (i.e., $16 \times 16 = 256$). We conclude that the optimal number of iterations is around 10 (**Figure 12**), which reflects the sampling efficiency of MLMs compared to AR models.





Figure 6: The results of different τ with MLM. Figure 7: The results of different top- k with AR.

3.7 ELM MODEL

After thoroughly exploring the design space of language models for image generation, via combining the better design trick, we reach our final **Elucidated Language model for iM**age generation (**ELM**). ELM adopts BAE as the image tokenizer and AR as the modeling method. According to our previous results, ELM splits the quantized image code into two subcodes. When choosing the vocabulary, the capacity of the model should be considered. Larger vocabularies require more powerful models to handle next-token prediction (2-12 tokenizer works best for ELM-XXL), while smaller models perform better with simpler vocabularies (ELM-L and XL perform better with 2-10 tokenizer). For sampling strategy, we choose a *high randomness* because it will bring in large diversity, and we use linear CFG. Finally, we construct four ELM versions: ELM-L (2-10), ELM-XL (2-10), ELM-XXL (2-12), and ELM-2B (2-12), with parameters ranging from 315M to 1.9B.

4 EXPERIMENTS

4.1 CONDITIONAL IMAGE GENERATION

In this section, we compare our ELM models with other AR models for image generation. Our experiments are conducted on the 256×256 ImageNet (Deng et al., 2009) dataset. We generate 50,000 samples to evaluate performance using FID, IS, Precision, and Recall following Dhariwal

& Nichol (2021). Implementation details can be found in the **Appendix A.3**. The comparison result is presented in **Table 2**. Our method (ELM) exhibits scaling law behavior, with performance improving as model size increases, also achieves state-of-the-art (SOTA) results. Given that our tokenizer (BAE) is only trained on ImageNet (Deng et al., 2009), we believe further training on larger datasets, like OpenImages (Kuznetsova et al., 2020), would enhance the tokenizer and further boost the generation capability of our ELMs.

Table 2: Comparison of AR models on class-conditional image generation on 256×256 ImageNet. * indicates that the model generates samples at a resolution of 384×384 , which are then resized to 256×256 . -re denotes rejection sampling is used.

Model	Params.	FID↓	IS↑	Precision↑	Recall↑
VQGAN (Esser et al., 2021)	227M	18.65	80.4	0.78	0.26
VQGAN	1.4B	15.78	74.3	-	-
VQGAN-re	1.4B	5.20	280.3	-	-
ViT-VQGAN (Yu et al., 2021)	1.7B	4.17	175.1	-	-
ViT-VQGAN-re	1.7B	3.04	227.4	-	-
RQTran. (Lee et al., 2022)	3.8B	7.55	134.0	-	-
RQTran-re	3.8B	3.80	323.7	-	-
VAR-d16 (Tian et al., 2024)	310M	3.30	274.4	0.84	0.51
VAR-d20	600M	2.57	302.6	0.83	0.56
VAR-d24	1.0B	2.09	312.9	0.82	0.59
VAR-d30	2.0B	1.97	334.7	0.81	0.61
VAR-d30-re	2.0B	1.80	356.40	0.83	0.57
LlamaGen-L (Sun et al., 2024)	343M	3.81	248.3	0.83	0.52
LlamaGen-XL	775M	3.39	227.08	0.81	0.54
LlamaGen-XXL	1.4B	3.09	253.61	0.83	0.53
LlamaGen-3B	3.1B	3.05	222.33	0.80	0.58
LlamaGen-3B*	3.1B	2.18	263.33	0.81	0.58
MAR-B (Li et al., 2024)	208M	2.31	281.7	0.82	0.57
MAR-L	479M	1.78	296.0	0.81	0.60
MAR-H	943M	1.55	303.7	0.81	0.62
ELM-L (2-10)	315M	2.17	288.59	0.82	0.55
ELM-XL (2-10)	757M	1.79	332.99	0.80	0.59
ELM-XXL (2-12)	1.4B	1.58	330.43	0.80	0.60
ELM-2B (2-12)	1.9B	1.54	332.69	0.81	0.60

4.2 VISUALIZATION OF THE SCALING LAW

According to the scaling law of ELM transformers, both loss and performance improve as training data and model parameter size increase. In our experiments, although the original image data (ImageNet) remains unchanged, the token set effectively scales up through the token decomposition strategy. We present generated samples using different sizes of ELM models (L, XL, XXL) and tokenizers (1-16, 2-10, 2-12) to illustrate the scaling behavior of ELM models in image generation. Following Tian et al. (2024), we maintain the same seed and teacher-forced initial tokens across models. The results in **Figure 8** clearly demonstrate performance improvements as both the token set and model size scale up.

5 RELATED WORK

Large Language Models. Language models are foundational tools in natural language processing, designed to predict the likelihood of sequences of words or tokens, using Transformer architectures with self-attention mechanism (Vaswani et al., 2017). There are two primary types: autoregressive (AR) models, like GPT (Radford et al., 2019; Brown, 2020; Achiam et al., 2023), LLaMA (Touvron et al., 2023a;b; Dubey et al., 2024), etc., which generate text one token at a time in a left-to-right fashion, and masked language models (MLM), such as BERT (Devlin, 2018), T5 (Raffel et al., 2020), etc., which predict masked tokens within a sequence using bidirectional context. AR models




Figure 8: Scaling up behavior of tokenizer and model size. From left to right and top to bottom, there is a trend of improved image detail and structure. It reflects the enhanced generation ability that comes with more refined tokenizer and larger model.

are particularly effective for text generation due to their sequential nature, while MLMs are better suited for representation learning by leveraging global context (Chang & Bergen, 2024). The scaling law (Henighan et al., 2020; Kaplan et al., 2020), which describes the relationship between the growth of model parameters, dataset sizes, computational resources, and performance improvements, highlights the immense potential of AR models.

Vision Generation. Vision generation is a key focus in the current AIGC field, primarily relying on diffusion probabilistic models, which generate images by progressively denoising a random Gaussian noise (Song et al., 2020; Peebles & Xie, 2023; Chen et al., 2023). Transformer architectures are also the dominant backbone in these tasks. Language models have also been applied to vision tasks. Researches like Chang et al. (2022), Li et al. (2023), and Chang et al. (2023) use bidirectional MLMs for image generation, meanwhile Esser et al. (2021), Yu et al. (2022), Sun et al. (2024), and Tian et al. (2024) employ AR models. Moreover, AR models offer a path toward developing unified models for general artificial intelligence across different modalities, as seen in systems like Gemini (Team et al., 2023) and Chameleon (Team, 2024). While previous research has explored the use of language models in vision generation, our work is the first to analyze fundamental differences between text and image and the optimization behavior of language models in vision domain.

6 CONCLUSION

In this work, we investigate the use of language models for image generation. We analyze the differences between image and text token distribution, demonstrating how these distinctions affect training behavior, and offering insights that extend beyond current research on language models for image generation. We further elucidate the design space of language models for vision generation, including tokenizer choice, model choice, model scalability, vocabulary design, and sampling strategy through extensive comparative experiments. Through our analysis, we have the following findings: (1) binary autoencoder (BAE) demonstrates superior performance as an image tokenizer

compared to traditional VQGAN approaches; (2) AR models consistently outperform MLMs and show a strong scaling law, (3) larger vocabulary size and a decomposition design benefit the image generation, (4) sampling strategies should also allow for *greater randomness*; gradually increased CFG scale, larger top- k are important for a better FID score. By combining these designs, we reach our final ELM model, and it achieves state-of-the-art performance on ImageNet. We hope this work will motivate further usage of the AR model across other domains.

REFERENCES

- Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altenschmidt, Sam Altman, Shyamal Anadkat, et al. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774*, 2023.
- Mehdi Ali, Michael Fromm, Klaudia Thellmann, Richard Rutmann, Max Lübbering, Johannes Leveling, Katrin Klug, Jan Ebert, Niclas Doll, Jasper Schulze Buschhoff, et al. Tokenizer choice for llm training: Negligible or crucial? *arXiv preprint arXiv:2310.08754*, 2023.
- Devansh Arpit, Stanisław Jastrzebski, Nicolas Ballas, David Krueger, Emmanuel Bengio, Maxinder S Kanwal, Tegan Maharaj, Asja Fischer, Aaron Courville, Yoshua Bengio, et al. A closer look at memorization in deep networks. In *International conference on machine learning*, pp. 233–242. PMLR, 2017.
- Gulcin Baykal, Melih Kandemir, and Gozde Unal. Edvae: Mitigating codebook collapse with evidential discrete variational autoencoders. *Pattern Recognition*, 156:110792, 2024.
- Yaniv Benny, Tomer Galanti, Sagie Benaim, and Lior Wolf. Evaluation metrics for conditional image generation. *International Journal of Computer Vision*, 129:1712–1731, 2021.
- James Betker, Gabriel Goh, Li Jing, Tim Brooks, Jianfeng Wang, Linjie Li, Long Ouyang, Juntang Zhuang, Joyce Lee, Yufei Guo, et al. Improving image generation with better captions. *Computer Science*. <https://cdn.openai.com/papers/dall-e-3.pdf>, 2023.
- Tom B Brown. Language models are few-shot learners. *arXiv preprint arXiv:2005.14165*, 2020.
- Huiwen Chang, Han Zhang, Lu Jiang, Ce Liu, and William T Freeman. Maskgit: Masked generative image transformer. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 11315–11325, 2022.
- Huiwen Chang, Han Zhang, Jarred Barber, AJ Maschinot, Jose Lezama, Lu Jiang, Ming-Hsuan Yang, Kevin Murphy, William T Freeman, Michael Rubinstein, et al. Muse: Text-to-image generation via masked generative transformers. *arXiv preprint arXiv:2301.00704*, 2023.
- Tyler A Chang and Benjamin K Bergen. Language model behavior: A comprehensive survey. *Computational Linguistics*, 50(1):293–350, 2024.
- Junsong Chen, Jincheng Yu, Chongjian Ge, Lewei Yao, Enze Xie, Yue Wu, Zhongdao Wang, James Kwok, Ping Luo, Huchuan Lu, et al. Pixart- α : Fast training of diffusion transformer for photorealistic text-to-image synthesis. *arXiv preprint arXiv:2310.00426*, 2023.
- Min Jin Chong and David Forsyth. Effectively unbiased fid and inception score and where to find them. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 6070–6079, 2020.
- Jia Deng, Wei Dong, Richard Socher, Li-Jia Li, Kai Li, and Li Fei-Fei. Imagenet: A large-scale hierarchical image database. In *2009 IEEE conference on computer vision and pattern recognition*, pp. 248–255. Ieee, 2009.
- Jacob Devlin. Bert: Pre-training of deep bidirectional transformers for language understanding. *arXiv preprint arXiv:1810.04805*, 2018.
- Prafulla Dhariwal and Alexander Nichol. Diffusion models beat gans on image synthesis. *Advances in neural information processing systems*, 34:8780–8794, 2021.

- Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, et al. The llama 3 herd of models. *arXiv preprint arXiv:2407.21783*, 2024.
- Erik Englesson and Hossein Azizpour. Consistency regularization can improve robustness to label noise. *arXiv preprint arXiv:2110.01242*, 2021.
- Patrick Esser, Robin Rombach, and Bjorn Ommer. Taming transformers for high-resolution image synthesis. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 12873–12883, 2021.
- Patrick Esser, Sumith Kulal, Andreas Blattmann, Rahim Entezari, Jonas Müller, Harry Saini, Yam Levi, Dominik Lorenz, Axel Sauer, Frederic Boesel, et al. Scaling rectified flow transformers for high-resolution image synthesis. In *Forty-first International Conference on Machine Learning*, 2024.
- Jiri Fajtl, Vasileios Argyriou, Dorothy Monekosso, and Paolo Remagnino. Latent bernoulli auto-encoder. In *International Conference on Machine Learning*, pp. 2964–2974. PMLR, 2020.
- Tom Henighan, Jared Kaplan, Mor Katz, Mark Chen, Christopher Hesse, Jacob Jackson, Heewoo Jun, Tom B. Brown, Prafulla Dhariwal, Scott Gray, Chris Hallacy, Benjamin Mann, Alec Radford, Aditya Ramesh, Nick Ryder, Daniel M. Ziegler, John Schulman, Dario Amodei, and Sam McCandlish. Scaling laws for autoregressive generative modeling, 2020.
- Martin Heusel, Hubert Ramsauer, Thomas Unterthiner, Bernhard Nessler, and Sepp Hochreiter. Gans trained by a two time-scale update rule converge to a local nash equilibrium. *Advances in neural information processing systems*, 30, 2017.
- Jonathan Ho and Tim Salimans. Classifier-free diffusion guidance. *arXiv preprint arXiv:2207.12598*, 2022.
- Jonathan Ho, Chitwan Saharia, William Chan, David J Fleet, Mohammad Norouzi, and Tim Salimans. Cascaded diffusion models for high fidelity image generation. *Journal of Machine Learning Research*, 23(47):1–33, 2022.
- Jared Kaplan, Sam McCandlish, Tom Henighan, Tom B Brown, Benjamin Chess, Rewon Child, Scott Gray, Alec Radford, Jeffrey Wu, and Dario Amodei. Scaling laws for neural language models. *arXiv preprint arXiv:2001.08361*, 2020.
- Tero Karras, Miika Aittala, Timo Aila, and Samuli Laine. Elucidating the design space of diffusion-based generative models. *Advances in neural information processing systems*, 35:26565–26577, 2022.
- Diederik Kingma and Ruiqi Gao. Understanding diffusion objectives as the elbo with simple data augmentation. *Advances in Neural Information Processing Systems*, 36, 2024.
- Dan Kondratyuk, Lijun Yu, Xiuye Gu, Jose Lezama, Jonathan Huang, Grant Schindler, Rachel Hornung, Vighnesh Birodkar, Jimmy Yan, Ming-Chang Chiu, et al. Videopoet: A large language model for zero-shot video generation. In *Proceedings of the 41st International Conference on Machine Learning*, volume 235 of *Proceedings of Machine Learning Research*, pp. 25105–25124. PMLR, 21–27 Jul 2024.
- Alina Kuznetsova, Hassan Rom, Neil Alldrin, Jasper Uijlings, Ivan Krasin, Jordi Pont-Tuset, Shahab Kamali, Stefan Popov, Matteo Mallocci, Alexander Kolesnikov, et al. The open images dataset v4: Unified image classification, object detection, and visual relationship detection at scale. *International journal of computer vision*, 128(7):1956–1981, 2020.
- Doyup Lee, Chiheon Kim, Saehoon Kim, Minsu Cho, and Wook-Shin Han. Autoregressive image generation using residual quantization. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 11523–11532, 2022.
- Tianhong Li, Huiwen Chang, Shlok Mishra, Han Zhang, Dina Katabi, and Dilip Krishnan. Mage: Masked generative encoder to unify representation learning and image synthesis. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 2142–2152, 2023.

- Tianhong Li, Yonglong Tian, He Li, Mingyang Deng, and Kaiming He. Autoregressive image generation without vector quantization. *arXiv preprint arXiv:2406.11838*, 2024.
- Yi Liao, Xin Jiang, and Qun Liu. Probabilistically masked language model capable of autoregressive generation in arbitrary word order. *arXiv preprint arXiv:2004.11579*, 2020.
- Tomasz Limisiewicz, Jiří Balhar, and David Mareček. Tokenization impacts multilingual language modeling: Assessing vocabulary allocation and overlap across languages. *arXiv preprint arXiv:2305.17179*, 2023.
- Jiajun Ma, Tianyang Hu, Wenjia Wang, and Jiacheng Sun. Elucidating the design space of classifier-guided diffusion generation. *arXiv preprint arXiv:2310.11311*, 2023.
- Fabian Mentzer, David Minnen, Eirikur Agustsson, and Michael Tschannen. Finite scalar quantization: Vq-vae made simple. *arXiv preprint arXiv:2309.15505*, 2023.
- William Peebles and Saining Xie. Scalable diffusion models with transformers. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 4195–4205, 2023.
- Alec Radford, Jeffrey Wu, Rewon Child, David Luan, Dario Amodei, Ilya Sutskever, et al. Language models are unsupervised multitask learners. *OpenAI blog*, 1(8):9, 2019.
- Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, and Peter J Liu. Exploring the limits of transfer learning with a unified text-to-text transformer. *Journal of machine learning research*, 21(140):1–67, 2020.
- Ali Razavi, Aaron Van den Oord, and Oriol Vinyals. Generating diverse high-fidelity images with vq-vae-2. *Advances in neural information processing systems*, 32, 2019.
- Tim Salimans, Ian Goodfellow, Wojciech Zaremba, Vicki Cheung, Alec Radford, and Xi Chen. Improved techniques for training gans. *Advances in neural information processing systems*, 29, 2016.
- Claude Elwood Shannon. A mathematical theory of communication. *The Bell system technical journal*, 27(3):379–423, 1948.
- Jiaming Song, Chenlin Meng, and Stefano Ermon. Denoising diffusion implicit models. *arXiv preprint arXiv:2010.02502*, 2020.
- Peize Sun, Yi Jiang, Shoufa Chen, Shilong Zhang, Bingyue Peng, Ping Luo, and Zehuan Yuan. Autoregressive model beats diffusion: Llama for scalable image generation. *arXiv preprint arXiv:2406.06525*, 2024.
- Chaofan Tao, Qian Liu, Longxu Dou, Niklas Muennighoff, Zhongwei Wan, Ping Luo, Min Lin, and Ngai Wong. Scaling laws with vocabulary: Larger models deserve larger vocabularies. *arXiv preprint arXiv:2407.13623*, 2024.
- Chameleon Team. Chameleon: Mixed-modal early-fusion foundation models. *arXiv preprint arXiv:2405.09818*, 2024.
- Gemini Team, Rohan Anil, Sebastian Borgeaud, Yonghui Wu, Jean-Baptiste Alayrac, Jiahui Yu, Radu Soricut, Johan Schalkwyk, Andrew M Dai, Anja Hauth, et al. Gemini: a family of highly capable multimodal models. *arXiv preprint arXiv:2312.11805*, 2023.
- Keyu Tian, Yi Jiang, Zehuan Yuan, Bingyue Peng, and Liwei Wang. Visual autoregressive modeling: Scalable image generation via next-scale prediction. *arXiv preprint arXiv:2404.02905*, 2024.
- Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, et al. Llama: Open and efficient foundation language models. *arXiv preprint arXiv:2302.13971*, 2023a.
- Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. Llama 2: Open foundation and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*, 2023b.

- Dmitry Ulyanov, Andrea Vedaldi, and Victor Lempitsky. Deep image prior. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 9446–9454, 2018.
- Aaron Van Den Oord, Oriol Vinyals, et al. Neural discrete representation learning. *Advances in neural information processing systems*, 30, 2017.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. In I. Guyon, U. Von Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, and R. Garnett (eds.), *Advances in Neural Information Processing Systems*, volume 30. Curran Associates, Inc., 2017.
- Ze Wang, Jiang Wang, Zicheng Liu, and Qiang Qiu. Binary latent diffusion. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 22576–22585, 2023.
- Jinbiao Yang. Rethinking tokenization: Crafting better tokenizers for large language models, 2024.
- Jiahui Yu, Xin Li, Jing Yu Koh, Han Zhang, Ruoming Pang, James Qin, Alexander Ku, Yuanzhong Xu, Jason Baldridge, and Yonghui Wu. Vector-quantized image modeling with improved vqgan. *arXiv preprint arXiv:2110.04627*, 2021.
- Jiahui Yu, Yuanzhong Xu, Jing Yu Koh, Thang Luong, Gunjan Baid, Zirui Wang, Vijay Vasudevan, Alexander Ku, Yinfei Yang, Burcu Karagol Ayan, et al. Scaling autoregressive models for content-rich text-to-image generation. *arXiv preprint arXiv:2206.10789*, 2(3):5, 2022.
- Lijun Yu, José Lezama, Nitesh B Gundavarapu, Luca Versari, Kihyuk Sohn, David Minnen, Yong Cheng, Agrim Gupta, Xiuye Gu, Alexander G Hauptmann, et al. Language model beats diffusion–tokenizer is key to visual generation. *arXiv preprint arXiv:2310.05737*, 2023.
- Qihang Yu, Mark Weber, Xueqing Deng, Xiaohui Shen, Daniel Cremers, and Liang-Chieh Chen. An image is worth 32 tokens for reconstruction and generation. *arXiv preprint arXiv:2406.07550*, 2024.
- Chiyuan Zhang, Samy Bengio, Moritz Hardt, Benjamin Recht, and Oriol Vinyals. Understanding deep learning requires rethinking generalization, 2016.
- Qi Zhang, Tianqi Du, Haotian Huang, Yifei Wang, and Yisen Wang. Look ahead or look around? a theoretical comparison between autoregressive and masked pretraining. *arXiv preprint arXiv:2407.00935*, 2024.
- Lei Zhu, Fangyun Wei, Yanye Lu, and Dong Chen. Scaling the codebook size of vqgan to 100,000 with a utilization rate of 99%. *arXiv preprint arXiv:2406.11837*, 2024.

A APPENDIX

A.1 INTRINSIC DIFFERENCE BETWEEN LANGUAGE AND IMAGES

We choose ImageNet from the image domain; OpenWebText and Shakespeare¹ from the language. The information of the tokenized dataset is shown in **Table 3** and the KL-divergence between uniform distribution is shown in **Table 1**.

We can see that from **Table 1**, compared to text generation, image generation exhibits a higher randomness. Note that although VQGAN-f16 generates tokens with a lower level of randomness, the major reason is the low code utilization—only less than 10% code from the vocabulary is used, and the generated image quality is not satisfying due to the extremely low token utilization.

Table 3: Vocabulary (Codebook) information of image and text.

	ImageNet		OpenWebText	Shakespeare
Tokenizer	VQGAN-f16	BAE-f16	BPE	BPE
Vocab size	16384	65536	47589	11234
Token num of train set	327M	327M	9B	302K
Token num of val set	12M	12M	4M	36K

A.2 COMPARISON BETWEEN BAE AND VQVAE

We trained BAE on the ImageNet dataset using the same model architecture and loss functions as VQGAN from the taming transformers framework (Esser et al., 2021). For a fair comparison, we evaluated the VQGAN-f16-16384 model² that also trained on the ImageNet dataset, and assessed its code utilization (see **Figure 2**). The results clearly demonstrate that BAE outperforms VQGAN, achieving lower reconstruction FID (rFID) (**Table 4**) and generation FID (gFID) (**Table 5**) and significantly higher code utilization (100% v.s. 8%).

Table 4: **Reconstruction FID of the image tokenizers.** All tokenizer are trained on the ImageNet. * indicates the value is directly copy from <https://github.com/CompVis/taming-transformers>.

	VQGAN-f16			BAE-f16		
codebook size	1024	16384	2^{16}	2^{20}	2^{24}	2^{32}
rFID	10.54*	7.41*	3.32	2.24	1.77	1.68

Table 5: **Generation FID of AR-L with different image tokenizers.** AR model is trained on the ImageNet for 1,000,000 iterations, 200 epochs. We generate 30,000 samples for each model. ‘cfg1-3’ denotes classifier-free guidance (cfg) scale gradually increased to 3.0 following a linear schedule across inference iteration. ‘cfg1.5’ denotes the cfg remains fixed at 1.5 during inference.

tokenizer	code dim	vocab. size & top- k	cfg1-3 gFID	cfg1.5 gFID	rFID
VQGAN-f16	256	16,384	6.71	8.12	7.41
BAE-f16	16	65,536	2.78	3.87	3.32

A.3 ADDITIONAL EXPERIMENT RESULTS

Implementation Details For the BAE tokenizer, we followed the configuration in Wang et al. (2023), utilizing Bernoulli sampling during quantization, and trained it for 400 epochs on the Im-

¹obtained from <https://github.com/karpathy/nanoGPT>

²downloaded from <https://github.com/CompVis/taming-transformers>

ageNet dataset. For the transformer model, we adopted the LLaMA-2 (Touvron et al., 2023b) architecture, as referenced in Sun et al. (2024). The depth and feature dimensions of each model size are detailed in **Table 6**. All language models were trained on 80GB A800 GPUs with a batch size of 256, for 400 epochs, using a constant learning rate of $1e-4$, weight decay of 0.05, and the AdamW optimizer with β_1 0.9 and β_2 0.95. The L and XL-sized models were trained on 8 A800 GPUs, requiring approximately 6.4 and 10 days, respectively, to complete 400 epochs. The XXL-sized model, trained on 16 A800 GPUs (2 nodes with 8 GPUs each), took around 12 days to finish training.

For the AR model, we implement mainly follow Sun et al. (2024), except for the 2B-sized model. The MLM and AR models use the same model architecture. For the MLMs training strategy, we mainly follow Chang et al. (2022). Specifically, at each training step, we sample a mask ratio for each sample, mask tokens based on this ratio, and train the model to predict the masked tokens. The mask ratio follows a cosine schedule across the generation iterations, meaning the process transitions from less to more information. Early in training, most tokens are masked; as training progresses, the mask ratio sharply decreases, revealing more tokens for the model to handle in later stages.

Table 6: Transformer model architecture information with different sizes.

Size	depth	dimension	num of head
ELM-L	24	1024	16
ELM-XL	36	1280	20
ELM-XXL	48	1536	24
ELM-2B	48	1792	28

Table 7: **The influence of Bernoulli sampling with BAE on FID (30k) of generation.** We test on AR-L model with BAE-f16 with $D = 16$, and the model is trained for 150 epochs.

cfg	constant 2	linear1-3
w. Bernoulli	4.72	2.88
w.o. Bernoulli	5.05	3.13

Comparison of Tokenization w. and w.o Bernoulli Sampling When using BAE to tokenize image feature codes into discrete tokens, the process can either be deterministic, by directly converting values to 0 or 1 based on a threshold, or nondeterministic by incorporating Bernoulli sampling during quantization. We compared both methods to assess their impact on the generation task. As shown in **Table 7**, the nondeterministic approach clearly performs better. This result aligns with the inherent randomness of image token distribution, as discussed in **Section 3.1**, and offers greater tolerance for classification errors during next-token prediction.

Comparison Between AR Model and MLM **Table 8** shows the detailed final result of the different-sized AR models and MLMs using the basic BAE-f16 on the ImageNet 256x256 dataset. Clearly, AR models always show better performance than MLMs.

Scaling Behavior of AR Models **Figure 9** show the loss trends of all sized AR models (L, XL, XXL and 2B) with 2-12 tokenizer. All models successfully converged, and the final loss consistently decreased as model size increased.

Comparison Between Code-decomposition Strategies **Table 9** shows the detailed results of AR models with different BAE tokenizers. The code decomposition strategy significantly influences the model parameter size and the generation performance. For the code decomposition strategy, splitting a large vocabulary into **two** smaller sub-vocabularies yields optimal performance by *balancing vocabulary size with the number of classification heads*. In general, larger code dimensions improve generation performance by offering finer granularity, but they also introduce more complex vocabularies, making it increasingly challenging for the model to predict the next token accurately.

Table 8: **Comparison of AR and MLM on ImageNet 256×256.** The auto-encoder is BAE-f16 with code dimension 16. The FID results are obtained on 30K generation images.

Size	Method	FID↓	sFID↓	IS↑	Precision↑	Recall↑
L	MLM	3.67	5.34	272.23	0.8561	0.4597
	AR	2.38	4.78	271.54	0.8201	0.5650
XL	MLM	3.13	4.95	261.59	0.8159	0.5355
	AR	2.14	4.92	289.33	0.8162	0.5834
XXL	MLM	3.12	4.86	281.75	0.8393	0.4947
	AR	2.10	4.89	301.22	0.8284	0.5839




Figure 9: **AR exhibits a good scaling law.** Training losses of all AR models are with the BAE 2-12 tokenizer. All models were trained for 2,000,000 iterations, equivalent to 400 epochs, except the 2B model, which had to be stopped earlier due to time constraints.

Table 9: **Comparisons of AR models on class-conditional ImageNet 256×256 benchmark.**

Model	Tokenizer	Params.	FID↓	sFID↓	IS↑	Precision↑	Recall↑
L	1-16	443M	2.38	4.78	271.54	0.8201	0.565
	2-8	312M	2.34	4.86	281.29	0.8190	0.5573
	2-10	316M	2.17	4.83	288.59	0.8168	0.5536
	2-12	328M	2.34	5.12	316.08	0.8197	0.5487
XL	1-16	900M	2.14	4.92	289.33	0.8162	0.5834
	2-8	737M	2.01	4.50	298.99	0.8069	0.5979
	2-10	741M	1.73	4.50	332.38	0.8183	0.5823
	2-12	757M	1.79	4.82	328.99	0.8027	0.5903
	3-8	740M	1.99	5.29	329.66	0.8070	0.5906
XXL	1-16	1.56B	2.10	4.89	301.22	0.8284	0.5839
	2-10	1.37B	1.65	4.33	328.08	0.8144	0.5933
	2-12	1.39B	1.58	4.78	330.43	0.8034	0.6091
	3-8	1.37B	1.67	4.99	325.06	0.8020	0.6054
	4-8	1.37B	2.02	5.66	321.37	0.7913	0.602
2B	2-12	1.90B	1.54	4.81	332.69	0.8093	0.5968

Comparison Between Sampling Strategies For MLMs, we conduct a search to find the optimal CFG scale, iteration number, and temperature τ for the Gumbel noise (see **Figure 6**). For AR models, we search for the best CFG scale and top- k threshold. During the search process, we calculate the FID score using only 30k samples for efficiency, noting that the FID values obtained in this way are consistently higher than those calculated with 50k samples.




Figure 10: **Different vocabulary decomposition strategies vary a lot on the training losses.** Clearly, introducing more than two classification heads will increase the model’s training complexity and learning effectiveness.

Classifier-free guidance (CFG) plays a crucial role in conditional image generation, but it involves balancing the trade-off between image diversity and individual image quality. We searched for the optimal CFG scale for all models. Additionally, we found that using a dynamic CFG schedule significantly improves performance. We tested several CFG scheduling methods (see **Figure 11**), with the results summarized in **Table 10**.

Table 10: **Different CFG strategies varies a lot on FID.** All results are based on AR-L with tokenizer 2-10.

CFG-scale	1.5	2	2.5	cos1-4	log1-4	linear1-4	square1-4	r-square1-4
FID (30k)	2.98	3.35	3.58	2.86	2.70	2.48	4.94	3.57




Figure 11: **Curves of CGF scale with respect to iteration times under different CFG schedules.**

Table 11: **The influence of top- k in sampling process** on 30k-FID scores for AR models with decomposed vocabulary.

	2-8			2-10			2-12		
k	180	210	256	800	900	1024	2600	2800	3000
L	2.97	2.84	2.74	2.55	2.50	2.48	2.68	2.56	2.67
XL	2.46	2.36	2.40	2.13	2.11	2.03	2.11	2.10	2.11
XXL	-	-	-	2.08	2.04	1.95	1.90	1.90	1.95




Figure 12: **The influence of iteration time (different mask ratio) in sampling process on FID scores for MLMs.**

Table 12: The best sampling strategy regards to FID score for all models.

Method	Tokenizer	Model	Best Strategy
MLM	1-16	L	linear CFG 1-3; $\tau=9.0$, iteration number=10
	1-16	XL & XXL	linear CFG 1-3; $\tau=5.0$, iteration number=10
AR	1-16	L & XL & XXL	linear CFG 1-3; top- $k=65536$ (all)
	2-8	L	linear CFG 1-4; top- $k=256$ (all)
	2-8	XL & XXL	linear CFG 1-4; top- $k=210$
	2-10	L	linear CFG 1-4; top- $k=1024$ (all)
	2-10	XL & XXL	linear CFG 1-5; top- $k=1024$ (all)
	2-12	L & XL & XXL	linear CFG 1-5; top- $k=2800$
	3-8	XL & XXL	linear CFG 1-5; top- $k=180$
4-8	XXL	linear CFG 1-5; top- $k=180$	

A.4 ELM IS FLEXIBLE TO GENERATE ANY-SIZE IMAGE

To further explore the capability of AR models in image generation, we generate images with more than 16×16 tokens without modifying the model (**Figure 13**). Although the model’s receptive field is limited to 256 tokens, we can easily generate ‘streaming’ images by looking back at a few tokens. This demonstrates the greater flexibility of AR models compared to diffusion models, highlighting the potential of AR models for applications in other domains.



Figure 13: AR models are flexible to generate images with any size based on previous context.

A.5 LIMITATION

Our work has limitations. While we propose several improvements for AR models, the fundamental issue of optimizing highly random token distributions remains. Traditional next-token prediction using classification loss may not be the most optimal training objective for such tasks, suggesting that more suitable objectives should be explored in future research. For instance, MAR (Li et al., 2024) has made promising progress by introducing diffusion loss into AR models, while VAR (Tian et al., 2024) presents a valuable perspective by altering the image tokenization approach. We hope our analysis will inspire further exploration and innovation in utilizing language models for vision generation, as well as other modalities.

A.6 MORE GENERATED SAMPLES

We present more generated samples here to straightforwardly show the performance of our model.



Figure 14: Selected samples in different classes with ELM-2B (2-12).



Figure 15: Randomly sampled images from classes 88 (macaw), 130 (flamingo), and 145 (king penguin).




Figure 16: Randomly sampled images from classes 258 (Samoyed), 248 (Husky), and 291 (lion).



Figure 17: Randomly sampled images from classes 107 (jelly fish), 980 (volcano), and 511 (convertible).